	a
_	7

Application No. Applicant(s) 09/835,672 **ROSENOW ET AL** Notice of Allowability Examiner **Art Unit** Steve R Crow 3764 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. X This communication is responsive to the amendment faxed 6-14-04. 2. \bigcirc The allowed claim(s) is/are $\frac{1-10}{12-18}$, 12-18, 20-233. X The drawings filed only are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) ☐ Some* c) ☐ None of the: a) 🗌 All 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. $\mathsf{5}$, \square A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached

each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of

(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of

attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s) 1. ☑ Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
 Information Disclosure Statements (PTO-1449 or PTO/SB/08) Paper No./Mail Date
of Biological Material

1) hereto or 2) to Paper No./Mail Date _

Paper No./Mail Date

5.		Notice of Informal Patent Application (PTO-152)
6.	\boxtimes	Interview Summary (PTO-413), Paper No./Mail Date
7.	\boxtimes	Examiner's Amendment/Comment
8.	\boxtimes	Examiner's Statement of Reasons for Allowance
9.	П	Other .

STEPHEN R. CROW PRIMARY EXAMINER **ART UNIT 332**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with M. McMurry on 6-14-04.

The application has been amended as follows:

In claim 2 line 2 "portion" (first occurrence) has been changed to --end--.

In claim 3 line 4, "portion" has been changed to --end--.

In claim 14, line 2, "is" has been changed to --additionally includes--.

Non elected claims 24-37 have been canceled.

1. The following is an examiner's statement of reasons for allowance: The prior art of record fails to show or teach an elliptical exercise device comprising a crank, at least one pedal lever and pedal, a reciprocating guide mechanism coupled to a first portion of a pedal lever, an attachment assembly having a first link having a first end pivotally attached to the crank and a second end attached to the pedal lever; a stride adjustment mechanism connected to the first link for adjusting the length of the horizontal portion of the elliptical path, as recited in claim 1. Stearns et al shows an elliptical device having a first linkage 430-440 which has the crank attached thereto at a nondistal end. Claims 6, 10,18 claim the stride adjustment is adjustable in response to the pedal speed or direction of user stepping motion.

Application/Control Number: 09/835,672 Page 3

Art Unit: 3764

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steve R Crow whose telephone number is 703-308-3398. The examiner can normally be reached on Reg:8:30-6;Off First Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas Lucchesi can be reached on 703-308-2698. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SC

STEPHEN R. CROW PRIMARY EXAMINER ART UNIT 332

Strow